

Emergency Laparoscopic Surgery—The Changi General Hospital Experience

K B L Lee,*^{MBBS}, S K Wong,**^{FAMS, MBBS, FRCS}

Abstract

Introduction: This paper analyses the emergency laparoscopic procedures undertaken by our unit over a 1-year period in an effort to evaluate the diagnostic-therapeutic use of laparoscopy in an emergency situation. **Materials and Methods:** This is a retrospective study that analysed 137 emergency laparoscopic procedures that were performed for patients who presented with acute abdominal pain over a 1-year period from 31 December 1999 to 31 December 2000. **Results:** A definitive diagnosis was made in 91.2% (125). Of the 78 cases that required surgical intervention, 71.8% (56) were performed laparoscopically. The conversion rate (to open surgery) was 16.8% (23) and the morbidity rate was 8% (11); with no mortalities. **Conclusion:** We conclude that laparoscopic surgery is effective and safe in the non-elective setting and it offers a high potential for diagnosis and therapy in selected patients in whom the diagnoses are equivocal.

Ann Acad Med Singapore 2002; 31:155-7

Key words: Abdominal pain, Effective, Equivocal diagnoses, Safe

* Medical Officer (General Surgery Trainee)

** Associate Consultant

Department of General Surgery

Changi General Hospital

Address for Reprints: Dr Kevin Lee Boon Leng, Singapore Health Services, 11 Third Hospital Avenue, #07-00 SNEC Building, Singapore 168751.

E-mail: keelee69@magix.com.sg